
Statistics New Zealand ANZLIC Metadata Template

Identification

Title	Community Boards 2013
Date	30 November 2012 (publication)
Language	eng
Character Set	Uft8
Abstract	<p>This dataset is the definitive set of Community Board boundaries for 2011 as defined by the territorial authorities and Local Government Commission but maintained by Statistics New Zealand, who are the custodian.</p> <p>Community Boards are set up under the Local Government Act 2002 and Local Electoral Act 2001. Their purpose is to administer the affairs of communities with populations not less than 1,500 within rural, urban or metropolitan districts of a territorial authority. A community boards functions, powers and duties are delegated at the discretion of its parent territorial authority and these may differ from community board to community board. Community boards and their boundaries are reviewed in the year immediately preceding the triennial local government elections.</p> <p>Community Boards are numbered based on their corresponding territorial authority. Each community board has a unique five digit number. The first three digits are the territorial authority that the community board lies within. The following two digits are sequential, and represent the number of community boards within the territorial authority. For example, Taupo District (021) has 1 community board numbered 02101. The rest of the district is not represented by a community board boundary and is therefore coded 02199.</p> <p>Many territorial authorities do not have community boards and if they do, the community boards do not necessarily cover the whole territorial authority.</p> <p>As at 1st July 2007, Digital Boundary data became freely available.</p>
Topic category	boundaries
Spatial representation	vector

type	
------	--

Extent

Description	Twelve mile New Zealand territorial limit
-------------	---

Geographic Box

West bound longitude	165.905646
East bound longitude	179.855610
North bound latitude	-33.826584
South bound latitude	-47.841491

Extent

TEMPORAL	
Description	Data represents area unit polygons dissolved since 1991
Begin date	1991-01-01
End date	Now (Year of 2013)
Access Constraints	None. Data is freely downloadable from the Statistics NZ website.
Use constraints	<p>These conditions of supply apply to all users of Statistics New Zealand digital boundaries effective 1 July 2007.</p> <p>Permitted uses Statistics New Zealand must be acknowledged as the source of the boundaries.</p> <p>Uses not permitted Users are not permitted to change the accuracy of the boundaries and supply them to another party.</p> <p>Liability While care has been used in compiling these boundary coordinates, Statistics New Zealand gives no warranty that the data supplied is free from error. Statistics New Zealand shall not be liable for any loss suffered through the use, directly or indirectly, of any information, product or service.</p>
Use limitation	
Maintenance and update frequency	<p>The meshblock pattern and associated hierarchies is maintained on a regular basis.</p> <p>An annual pattern is made available for each year up to 2013.</p>
Date of next update	December 2013
Update scope	Dataset

Point of Contact

Organisation name	Statistics New Zealand
Position name	GeoStatistical Analyst
Role	Point of Contact
Voice	03-964 8700
Facsimile	03 964 8379
Delivery point	Statistics House The Boulevard, Harbour Quays
City	Wellington
Administrative area	
Postal code	6140
Country	New Zealand
Electronic mail address	geography@stats.govt.nz
Linkage	http://www.stats.govt.nz/browse_for_stats/people_and_communities/geographic-areas/download-digital-boundaries.aspx

Distribution Info

Distribution format	ESRI Shape MapInfo Tab
Distribution version	1.0
Online resource linkage	http://www.stats.govt.nz/browse_for_stats/people_and_communities/geographic-areas/download-digital-boundaries.aspx
Online resource description	Web page for downloading the digital boundaries which area units is part of the bundle of boundaries/geographies StatsNZ makes available

Reference system info

Title	New Zealand Transverse Mercator 2000 (NZTM2000)
Date	1 July 2001
Edition	
Code	19971

Data quality info scope

Hierarchy level	Dataset
Description	New Zealand Area Unit Boundaries

Lineage

Statement (general explanation of the data producer's knowledge about the lineage of a dataset)	<p>Community Boards are based on the meshblock pattern. Once all changes are prepared, Statistics NZ then passes the requests for changes to the meshblock pattern onto LINZ for the electronic changes to take place.</p> <p>For a change to community board boundaries to occur outside a review period, a special consideration must be granted by Statistics New Zealand.</p> <p>Non-alignment of meshblock and cadastral boundaries are one of a number of reasons for meshblock boundary adjustments. Other reasons include requests from local authorities, Local Government Commission, Electoral Representation Commission and to make Census of Population and Dwellings enumeration processes easier.</p> <p>To Derive the area unit boundaries clipped to the coastline, meshblock polygons were dissolved to include or exclude land/water attributes attached to each meshblock.</p> <p>From the meshblock pattern, higher geographies, including the 2013 Community boards pattern were dissolved using the dissolve tool in the Arc GIS suite to create multiple output datasets.</p>
Description (detailed description of the level of the source data)	<p>The original vertices delineating the meshblock boundary pattern were digitised in 1991 from 1:5,000 scale urban maps and 1:50,000 scale rural maps. The magnitude of error of the original digital points would have been in the range of +/- 10 metres in urban areas and +/- 25 metres in rural areas. Where meshblock boundaries coincide with cadastral boundaries the magnitude of error will be within the range of 1–5 metres in urban areas and 5 - 20 metres in rural areas. This being the estimated magnitude of error of Landonline.</p> <p>The creation of high definition and generalised meshblock boundaries for the 2013 digital pattern and the dissolving of these meshblocks into other geographies/boundaries were completed within Statistics New Zealand using ESRI's ArcGIS desktop suite and the Data Interoperability extension with the following process:</p> <ol style="list-style-type: none"> 1. Import data and all attribute fields into an ESRI File

	<p>Geodatabase from LINZ as a shapefile</p> <ol style="list-style-type: none"> Run geometry checks and repairs. Run Topology Checks on all data (Must Not Have Gaps, Must Not Overlap), detailed below. Generalise the meshblock layers to a 1m tolerance to create generalised dataset. Clip the high definition and generalised meshblock layers to the coastline using land water codes. Dissolve all four meshblock datasets (clipped and unclipped, for both generalised and high definition versions) to higher geographies to create the following output data layers: Area Unit, Territorial Authorities, Regional Council, Urban Areas, Community Boards, Territorial Authority Subdivisions, Wards Constituencies and Maori Constituencies for the four datasets. Complete a frequency analysis to determine that each code only has a single record. Re-run topology checks for overlaps and gaps. Export all created datasets into MapInfo and Shapefile format using the Data Interoperability extension to create 3 output formats for each file. Quality Assurance and rechecking of delivery files. <p>The High Definition version is similar to how the layer exists in Landonline with a couple of changes to fix topology errors identified in topology checking.</p> <p>The following quality checks and steps were applied to the meshblock pattern:</p> <p>Translation of ESRI Shapefiles to ESRI geodatabase dataset The meshblock dataset was imported into the ESRI File Geodatabase format, required to run the ESRI topology checks. Topology rules were set for each of the layers.</p> <p>Topology Checks A tolerance of 0.1 cm was applied to the data, which meant that the topology engine validating the data saw any vertex closer than this distance as the same location. A default topology rule of "Must Be Larger than Cluster Tolerance" is applied to all data – this would highlight where any features with a width less than 0.1cm exist. No errors were found for this rule.</p> <p>Three additional topology rules were applied specifically within each of the layers in the ESRI geodatabase – namely "Must Not Overlap", "Must Not Have Gaps" and "'Area Boundary Must Be Covered By Boundary Of (Meshblock)". These check that a layer forms a continuous coverage over a surface, that any given point on that surface is only assigned to a single category, and that the dissolved boundaries are identical to the parent meshblock boundaries.</p>
--	---

	<p>Topology Checks Results: There were no errors in either the gap or overlap checks.</p> <p>Generalising To create the generalised Meshblock layer the “Simplify Polygon” geoprocessing tool was used in ArcGIS, with the following parameters: Simplification Algorithm: POINT_REMOVE Maximum Allowable Offset: 1 metre Minimum Area: 1 square metre Handling Topological Errors: RESOLVE_ERRORS</p> <p>Clipping of Layers to Coastline The processed feature class was then clipped to the coastline. The coastline was defined as features within the supplied Land2013 with codes and descriptions as follows: 11- Island – Included 12- Mainland – Included 21- Inland Water – Included 22- Inlet – Excluded 23- Oceanic – Excluded 33- Other – Included.</p> <p>Features were clipped using the Data Interoperability extension, attribute filter tool. The attribute filter was used on both the generalised and high definition meshblock datasets creating four meshblock layers. Each meshblock dataset also contained all higher geographies and land-water data as attributes. <i>Note: Meshblock 0017001 which is classified as island, was excluded from the clipped meshblock layers, as most of this meshblock is oceanic.</i></p> <p>Dissolve meshblocks to higher geographies Statistics New Zealand then dissolved the ESRI meshblock feature classes to the higher geographies, for both the full and clipped dataset, generalised and high definition datasets. To dissolve the higher geographies, a model was built using the dissolver, aggregator and sorter tools, with each output set to include geography code and names within the Data Interoperability extension.</p> <p>Export to MapInfo Format and Shapfiles The data was exported to MapInfo and Shapefile format using ESRI's Data Interoperability extension Translation tool.</p> <p>Quality Assurance and rechecking of delivery files The feature counts of all files were checked to ensure all layers had the correct number of features. This included checking that all multipart features had translated correctly in the new file.</p>
--	---

Metadata

File identifier	
------------------------	--

Language	eng
Character set	Utf8
Hierarchy level	dataset
Hierarchy level name	Dataset – meshblocks -2013
Date stamp	2013-01-01
Metadata standard name	ANZLIC Metadata Profile
Metadata standard version	1.1

Metadata author

Individual name	Sarah Cowell
Organisation name	Statistics New Zealand
Position name	GeoStatistical Analyst
Role	Point of Contact
Voice	03 964 8700
Facsimile	03 964 8379
Delivery Point	Statistics House The Boulevard, Harbour Quays
City	Wellington
Administrative area	
Postal code	6140
Country	New Zealand
Electronic mail address	geography@stats.govt.nz
Linkage	http://www.stats.govt.nz/browse_for_stats/people_and_communities/geographic-areas/download-digital-boundaries.aspx